



Renewable Lubricants, Inc.

476 Griggy Rd., P.O. Box 474
Hartville, Ohio 44632-0474
330.877.9982 Fax 330.877.2266
Web: www.renewablelube.com

Bio-Diesel System™



"A New Generation of World Class Premium Biodiesel Fuels"

The Bio-Diesel System™ includes RLI's Bio Power™ Fuel Conditioners, Summer or Winter, formulated into Stabilized* Bio-Diesel Clean/Clear™ B-100 at the proper percentages. The Bio-Diesel System™ can be custom formulated for any biodiesel blends including; B-2, B-5, B-10, B-15, and B-20. When blended into #2 diesel fuel, the Bio-Diesel System™ will provide a **World Class Premium Biodiesel Fuel**.

This Bio-Diesel System™ will provide proven biodiesel blend performance in terms of:

- Reduced emissions and black smoke
- Improved fuel stability
- Reduced varnish and sludge
- Higher Cetane rating
- Superior fuel system and injector cleanliness
- Improved fuel filter life (cleaner fuel)
- Reduced buildup of static electrical charge (Safer)
- Reduced water entrainment
- Exceptional lubricity
- Improved fuel economy
- Protection against low temperature gelling and icing (Bio-Power™ Winter)
- Reduced dependence on foreign oil

For Additional Information See the Following Data Sheets:

- Bio-Power™ Diesel Fuel Conditioner Data Sheets
- Bio-Diesel Clean/Clear™ B-100 Data Sheet
- Bio-Power™ Soy Based Summer and Winter Diesel Fuel Conditioners and Biodiesel "The Good, The Bad and The Additives" Information Sheet
- Not All Biodiesel Fuels are Created Equal Information Sheet

STABILIZED by Renewable Lubricants* is RLI's trademark on their proprietary and patented anti-oxidant, anti-wear, and cold flow technology. High Oleic Base Stock (HOBS) are agricultural vegetable oils. This Stabilized technology allows the HOBS to perform as a high performance formula in high and low temperature applications, reducing oil thickening and deposits.

* Trademark of Renewable Lubricants, Inc.

Copyright 2005 Renewable Lubricants, Inc.

Availability F.O.B. :Hartville, Ohio, USA 1 Gallon 5 Gallon Pails Drums Bulk